

Custom flood barrier

100% custom-made, tailored to fit every opening!



Selling Points

- **100% custom-made** to perfectly fit the width of your opening, whether it's for a home, commercial premises, or retail space...
- **Effective protection against floodwater up to 60 cm high**, thanks to a closed-cell foam sealing system that provides outstanding watertight performance.
- **Supplied with a cartridge of sealing adhesive** (caulking gun not included).
- **Assembly and frame mounting hardware included** (plastic wall plugs and coach screws).

Technical Description

- Materials: 15 mm thick plywood main panel, two aluminum angle brackets, and closed-cell foam seals
- Dimensions: 60 cm height × custom length.
- The barrier consists of a 15 mm thick plywood panel fitted with two specially designed aluminum profiles mounted along the top and bottom horizontal edges of the panel.
- The panel and profiles are cut to the required length according to the measurements provided by the customer. The panel is drilled with 2 sets of 3 holes along its length.
- Two aluminum angle profiles to be fixed watertight using the supplied sealing adhesive.
- The barrier rests against the two angle profiles, with two vertical sealing gaskets at the interfaces and one horizontal gasket providing a watertight seal against the ground.



% Recycled Content	70 %
% Recycled Packaging	100 %
Hazardous Substances > 0,1%	No
Recyclable Product	Yes



Up to 125 cm

Mottez Code: **M633C125**

EAN : 3234640064598

Up to 252 cm

Art. Code: **M633C250**

EAN : 3234640064604

Next Model > 252cm

Art. Code: **M633CSUI**

EAN : 3234640064611

Illustration

Width to be
protected

Composition

Installation



Up to 125 cm


1 x M633C125

Pre-installation:
2 hours with 1 person
Installation : 10 min



Up to 125 à 252 cm


1 x M633C250



Up to 252 à 504 cm


**1 x M633C250
+ 1 x M633CSUI**

Pre-installation :
3h with 2 persons
Installation : 10 min



Up to 504 à 756 cm

**1 x M633C250
+ 2 x M633CSUI**





Up to 756 à 1008
cm

**1 x M633C250
+ 3 x M633CSUI**

ETC...

The references above are provided for guidance only, to help select the components suitable for your opening width. Each barrier is then manufactured to measure.

Example
length
1,25 m



Example length 5 m

